Accepted Manuscript

Solubility, partitioning, oxidation and photodegradation of dichloroacetamide herbicide safeners, benoxacor and furilazole

Saraswati Poudel Acharya, Jennifer Weidhaas

PII: S0045-6535(18)31498-X

DOI: 10.1016/j.chemosphere.2018.08.024

Reference: CHEM 21942

To appear in: ECSN

Received Date: 7 June 2018

Revised Date: 2 August 2018

Accepted Date: 6 August 2018

Please cite this article as: Acharya, S.P., Weidhaas, J., Solubility, partitioning, oxidation and photodegradation of dichloroacetamide herbicide safeners, benoxacor and furilazole, *Chemosphere* (2018), doi: 10.1016/j.chemosphere.2018.08.024.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Chemosphere

魙

Solubility, partitioning, oxidation and photodegradation of dichloroacetamide herbicide safeners, benoxacor and furilazole

Saraswati Poudel Acharya ^a, Jennifer Weidhaas ^{a,*}

^a Civil and Environmental Engineering, University of Utah, 110 Central Campus Drive, Salt

Lake City, UT 84112,

* Corresponding author, Email address: jennifer.weidhaas@utah.edu, Phone: 801-585-1228

KEYWORDS

Herbicide safeners, aqueous solubility, octanol-water partition coefficient, adsorption, oxidation, environmental chemodynamics

Download English Version:

https://daneshyari.com/en/article/8850291

Download Persian Version:

https://daneshyari.com/article/8850291

Daneshyari.com