

Accepted Manuscript

Highly porous activated carbon with multi-channeled structure derived from loofa sponge as a capacitive electrode material for the deionization of brackish water

Cuijie Feng, Yi-An Chen, Chang-Ping Yu, Chia-Hung Hou



PII: S0045-6535(18)31031-2

DOI: [10.1016/j.chemosphere.2018.05.174](https://doi.org/10.1016/j.chemosphere.2018.05.174)

Reference: CHEM 21506

To appear in: *ECSN*

Received Date: 20 March 2018

Revised Date: 26 May 2018

Accepted Date: 28 May 2018

Please cite this article as: Feng, C., Chen, Y.-A., Yu, C.-P., Hou, C.-H., Highly porous activated carbon with multi-channeled structure derived from loofa sponge as a capacitive electrode material for the deionization of brackish water, *Chemosphere* (2018), doi: 10.1016/j.chemosphere.2018.05.174.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highly porous activated carbon with multi-channeled
structure derived from loofa sponge as a capacitive electrode
material for the deionization of brackish water**

Cuijie Feng, Yi-An Chen, Chang-Ping Yu*, Chia-Hung Hou*

Graduate Institute of Environmental Engineering, National Taiwan University,

No. 1, Sec. 4. Roosevelt Rd., Taipei 10617, Taiwan

Submitted for Publication

in

Chemosphere

March 2018

Revised May 2018

* Corresponding author.

E-mail address: cpyu@ntu.edu.tw (C.-P. Yu), chiahunghou@ntu.edu.tw (C.-H. Hou)

Download English Version:

<https://daneshyari.com/en/article/8850779>

Download Persian Version:

<https://daneshyari.com/article/8850779>

[Daneshyari.com](https://daneshyari.com)