Accepted Manuscript

A combined emission and receptor-based approach to modelling environmental noise in urban environments

Tor H. Oiamo, Hugh Davies, Daniel Rainham, Claus Rinner, Kelly Drew, Kelly Sabaliauskas, Ronald Macfarlane

PII:	S0269-7491(18)32118-3
DOI:	10.1016/j.envpol.2018.08.016
Reference:	ENPO 11454
To appear in:	*Environmental Pollution*
Received Date:	13 May 2018
Accepted Date:	05 August 2018

Please cite this article as: Tor H. Oiamo, Hugh Davies, Daniel Rainham, Claus Rinner, Kelly Drew, Kelly Sabaliauskas, Ronald Macfarlane, A combined emission and receptor-based approach to modelling environmental noise in urban environments, *Environmental Pollution* (2018), doi: 10.1016 /j.envpol.2018.08.016

A combined emission and receptor-based approach to modelling environmental noise in urban environments

Tor H. Oiamo*[a], Hugh Davies[b], *Daniel Rainham[c], Claus Rinner[a], Kelly Drew[d], Kelly Sabaliauskas[d], Ronald Macfarlane[d]*

* Corresponding author: Ph. 1-416-979-5000 x7147 E. tor.oiamo@ryerson.ca

[a] Department of Geography and Environmental Studies, Ryerson University, 350 Victoria Street, Toronto, ON, Canada, M5B 2K3

[b] School of Population and Public Health, Faculty of Medicine, the University of British Columbia

[c] Healthy Populations Institute, Dalhousie University

[d] Toronto Public Health, Healthy Public Policy, City of Toronto