Accepted Manuscript

Application of acoustic agglomeration for removing sulfuric acid mist from air stream

Asghar Sadighzadeh, Hassan Mohammadpour, Leila Omidi, Mohammad Javad Jafari

PII: S2468-2039(16)30249-7

DOI: 10.1016/j.serj.2017.09.002

Reference: SERJ 100

To appear in: Sustainable Environment Research

Received Date: 18 November 2016

Revised Date: 9 May 2017

Accepted Date: 4 September 2017

Please cite this article as: Sadighzadeh A, Mohammadpour H, Omidi L, Jafari MJ, Application of acoustic agglomeration for removing sulfuric acid mist from air stream, *Sustainable Environment Research* (2017), doi: 10.1016/j.serj.2017.09.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Received 23 November 2016 Received in revised form 9 May 2017 Accepted 4 September 2017

Application of acoustic agglomeration for removing sulfuric acid mist from air stream

Asghar Sadighzadeh^a, Hassan Mohammadpour^b, Leila Omidi^c,

Mohammad Javad Jafari^{b, *}

^a Nuclear Science & Technology Research Institute, Atomic Energy Agency, Tehran City 11369,

Iran

^b Department of Occupational Health Engineering, Shahid Beheshti University of Medical

Sciences, Tehran City 11369, Iran

^c Department of Occupational Health Engineering, Tehran University of Medical Sciences,

Tehran City 11369, Iran

Keywords: Sulfuric acid, Mist, Acoustic agglomeration, SPL

* Corresponding author

E-mail address: m_Jafari@sbmu.ac.ir

Download English Version:

https://daneshyari.com/en/article/8862940

Download Persian Version:

https://daneshyari.com/article/8862940

Daneshyari.com