


Accepted Manuscript

The role of hydroxymethanesulfonic acid in the initial stage of new particle formation

Hao Li, Xiuhui Zhang, Jie Zhong, Ling Liu, Haijie Zhang, Fei Chen, Zesheng Li,
Qianshu Li, Maofa Ge



PII: S1352-2310(18)30442-4

DOI: [10.1016/j.atmosenv.2018.07.003](https://doi.org/10.1016/j.atmosenv.2018.07.003)

Reference: AEA 16109

To appear in: *Atmospheric Environment*

Received Date: 14 January 2018

Revised Date: 24 June 2018

Accepted Date: 1 July 2018



Please cite this article as: Li, H., Zhang, X., Zhong, J., Liu, L., Zhang, H., Chen, F., Li, Z., Li, Q., Ge, M., The role of hydroxymethanesulfonic acid in the initial stage of new particle formation, *Atmospheric Environment* (2018), doi: 10.1016/j.atmosenv.2018.07.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Reservoirs of sulfur in atmosphere

↓
Organosulfur compound

↓
Hydroxymethanesulfonic acid
(HMSA)



Download English Version:

<https://daneshyari.com/en/article/8863549>

Download Persian Version:

<https://daneshyari.com/article/8863549>

[Daneshyari.com](https://daneshyari.com)