


Accepted Manuscript

Effect of oligomerization reactions of criegee intermediate with organic acid/peroxy radical on secondary organic aerosol formation from isoprene ozonolysis

Long Chen, Yu Huang, Yonggang Xue, Junji Cao, Wenliang Wang



PII: S1352-2310(18)30378-9

DOI: [10.1016/j.atmosenv.2018.06.001](https://doi.org/10.1016/j.atmosenv.2018.06.001)

Reference: AEA 16059

To appear in: *Atmospheric Environment*


Received Date: 11 February 2018

Revised Date: 29 May 2018

Accepted Date: 1 June 2018

Please cite this article as: Chen, L., Huang, Y., Xue, Y., Cao, J., Wang, W., Effect of oligomerization reactions of criegee intermediate with organic acid/peroxy radical on secondary organic aerosol formation from isoprene ozonolysis, *Atmospheric Environment* (2018), doi: 10.1016/j.atmosenv.2018.06.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Criegee intermediates generated from isoprene ozonolysis can react with organic acid/peroxy radical leading to SOA.

Download English Version:

<https://daneshyari.com/en/article/8863621>

Download Persian Version:

<https://daneshyari.com/article/8863621>

[Daneshyari.com](https://daneshyari.com)