

Accepted Manuscript

Comparison of aerosol optical depth between observation and simulation from MIROC-SPRINTARS: Effects of temporal inhomogeneous sampling

Sang Seo Park, Toshihiko Takemura, Sang-Woo Kim



PII: S1352-2310(18)30324-8

DOI: [10.1016/j.atmosenv.2018.05.021](https://doi.org/10.1016/j.atmosenv.2018.05.021)

Reference: AEA 16012

To appear in: *Atmospheric Environment*

Received Date: 2 January 2018

Revised Date: 25 April 2018

Accepted Date: 12 May 2018

Please cite this article as: Park, S.S., Takemura, T., Kim, S.-W., Comparison of aerosol optical depth between observation and simulation from MIROC-SPRINTARS: Effects of temporal inhomogeneous sampling, *Atmospheric Environment* (2018), doi: 10.1016/j.atmosenv.2018.05.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Comparison of aerosol optical depth between observation and
simulation from MIROC-SPRINTARS: Effects of temporal
inhomogeneous sampling

Sang Seo Park^{a,b,*}, Toshihiko Takemura^a, and Sang-Woo Kim^b

^a *Research Institute for Applied Mechanics, Kyushu University, 6-1 Kasuga-koen, Kasuga,
Fukuoka, Japan*

^b *School of Earth and Environmental Sciences, Seoul National University, Seoul, South Korea*

*Corresponding author. Sang Seo Park (pss8902@gmail.com)

Submitted to Atmospheric Environment

2018. 01.

Download English Version:

<https://daneshyari.com/en/article/8863667>

Download Persian Version:

<https://daneshyari.com/article/8863667>

[Daneshyari.com](https://daneshyari.com)