

Accepted Manuscript

On the influence of atmospheric super-saturation layer on China's heavy haze-fog events

Jizhi Wang, Yuanqin Yang, Xiaoye Zhang, Hua Liu, Huizheng Che, Xiaojin Shen, Yaqiang Wang



PII: S1352-2310(17)30699-4

DOI: [10.1016/j.atmosenv.2017.10.034](https://doi.org/10.1016/j.atmosenv.2017.10.034)

Reference: AEA 15628

To appear in: *Atmospheric Environment*

Received Date: 21 March 2017

Revised Date: 11 October 2017

Accepted Date: 14 October 2017

Please cite this article as: Wang, J., Yang, Y., Zhang, X., Liu, H., Che, H., Shen, X., Wang, Y., On the influence of atmospheric super-saturation layer on China's heavy haze-fog events, *Atmospheric Environment* (2017), doi: 10.1016/j.atmosenv.2017.10.034.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract (optional)

Graphical Abstracts should summarize the contents of the article in a concise, pictorial form designed to capture the attention of a wide readership online. Refer to the following website for more informati




Fig.6. Schematic diagram of 3-D model for low-level super-saturation layer (H_{SSL}) and pollution mixing layer (H_{PMLs}) in the pollution hotspots (NCP, YRD and PRD and SCB) in China. Light blue scarping down to the bottom of the vertical plane (B) is iso- θ_e surface for air adiabatic uplift; on the upper left corner of B-plane is the tephigram.

Download English Version:

<https://daneshyari.com/en/article/8864378>

Download Persian Version:

<https://daneshyari.com/article/8864378>

[Daneshyari.com](https://daneshyari.com)