


# Accepted Manuscript

Exploring atmospheric radon with airborne gamma-ray spectroscopy

Marica Baldoncini, Matteo Albéri, Carlo Bottardi, Brian Minty, Kassandra G.C. Raptis, Virginia Strati, Fabio Mantovani



PII: S1352-2310(17)30647-7

DOI: [10.1016/j.atmosenv.2017.09.048](https://doi.org/10.1016/j.atmosenv.2017.09.048)

Reference: AEA 15586

To appear in: *Atmospheric Environment*

Received Date: 24 May 2017

Revised Date: 15 September 2017

Accepted Date: 25 September 2017

Please cite this article as: Baldoncini, M., Albéri, M., Bottardi, C., Minty, B., Raptis, K.G.C., Strati, V., Mantovani, F., Exploring atmospheric radon with airborne gamma-ray spectroscopy, *Atmospheric Environment* (2017), doi: 10.1016/j.atmosenv.2017.09.048.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Graphical Abstract (for review)

Cosmic  
gamma-ray

Bismuth  
gamma-ray


~ 1300 m

Rn ~ 0 Bq m<sup>-3</sup>

~ 400 m

Rn ~ 1 Bq m<sup>-3</sup>

Count rate in Bismuth window [cps]



Download English Version:

<https://daneshyari.com/en/article/8864414>

Download Persian Version:

<https://daneshyari.com/article/8864414>

[Daneshyari.com](https://daneshyari.com)