
Accepted Manuscript

New probable cnidarian fossils from the lower Cambrian of the three gorges area, South China, and their ecological implications



Shan Chang, Sébastien Clausen, Lei Zhang, Qinglai Feng, Michael Steiner, David J. Bottjer, Yan Zhang, Min Shi

PII:	S0031-0182(18)30333-X
DOI:	doi:10.1016/j.palaeo.2018.05.039
Reference:	PALAEO 8795
To appear in:	Palaeogeography, Palaeoclimatology, Palaeoecology
Received date:	11 April 2018
Revised date:	29 May 2018
Accepted date:	29 May 2018

Please cite this article as: Shan Chang, Sébastien Clausen, Lei Zhang, Qinglai Feng, Michael Steiner, David J. Bottjer, Yan Zhang, Min Shi, New probable cnidarian fossils from the lower Cambrian of the three gorges area, South China, and their ecological implications. Palaeo (2018), doi:10.1016/j.palaeo.2018.05.039

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

CEPTED MANUSCRIPT

New probable cnidarian fossils from the lower Cambrian of the

Three Gorges area, South China, and their ecological implications

Shan Chang ^{a,b}, Sébastien Clausen ^c, Lei Zhang ^{a*}, Qinglai Feng ^{a,b}, Michael Steiner ^d, David

J. Bottjer^e, Yan Zhang^{a,b}, Min Shi^{a,b}

^a School of Earth Sciences, China University of Geosciences, Wuhan 430074, China

^b State Key Laboratory of Geological Processes and Mineral Resources, Faculty of Earth Sciences, China University of Geosciences, Wuhan 430074, China

^c Univ. Lille, CNRS, UMR 8198 - Evo-Eco-Paleo, F-59000 Lille, France

^d Department of Earth Sciences, Freie Universität Berlin, Malteserstrasse 74-100, Haus D, Berlin, 12249, Germany

^e Department of Earth Sciences, University of Southern California, Los Angeles, California 90089, USA

Abstract

Lower Cambrian assemblages of phosphatic and chitinous tubular fossils of probable cnidarian affinities were recovered from the Yanjiahe, Shuijingtuo and Shipai formations in the Three Gorges area, South China. Terreneuvian Cambrorhytium cf. C. major co-occur with an unnamed taxon in the Yanjiahe Formation. They can be compared with specimens from the Ediacaran Miaohe Fauna in the Three Gorges area. The most abundant and diversified cnidarian Download English Version:

https://daneshyari.com/en/article/8868136

Download Persian Version:

https://daneshyari.com/article/8868136

Daneshyari.com