

## Accepted Manuscript

Distinct origins for Rovno and Baltic ambers: Evidence from carbon and hydrogen stable isotopes

Kaarel Mänd, Karlis Muehlenbachs, Ryan C. McKellar, Alexander P. Wolfe, Kurt Konhauser



PII: S0031-0182(18)30051-8  
DOI: doi:[10.1016/j.palaeo.2018.06.004](https://doi.org/10.1016/j.palaeo.2018.06.004)  
Reference: PALAEO 8808

To appear in: *Palaeogeography, Palaeoclimatology, Palaeoecology*

Received date: 17 January 2018  
Revised date: 1 June 2018  
Accepted date: 1 June 2018

Please cite this article as: Kaarel Mänd, Karlis Muehlenbachs, Ryan C. McKellar, Alexander P. Wolfe, Kurt Konhauser, Distinct origins for Rovno and Baltic ambers: Evidence from carbon and hydrogen stable isotopes. *Palaeo* (2018), doi:[10.1016/j.palaeo.2018.06.004](https://doi.org/10.1016/j.palaeo.2018.06.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **Distinct origins for Rovno and Baltic ambers: evidence from carbon and hydrogen stable isotopes**

Kaarel Mänd<sup>a,b,\*</sup>, Karlis Muehlenbachs<sup>a</sup>, Ryan C. McKellar<sup>c,d</sup>, Alexander P. Wolfe<sup>a</sup>, and Kurt Konhauser<sup>a</sup>

<sup>a</sup> Department of Earth and Atmospheric Sciences, University of Alberta, Edmonton, AB T6G 2E3, Canada

<sup>b</sup> Department of Geology, University of Tartu, Ravila 14A, 50411 Tartu, Estonia

<sup>c</sup> Royal Saskatchewan Museum, 2445 Albert St., Regina, SK S4P 4W7, Canada

<sup>d</sup> Biology Department, University of Regina, Regina, SK, S4S 0A2, Canada

\*Corresponding author. E-mail: kaarel.mand@ualberta.ca

### **Abstract**

Ambers—fossilized plant resins—are a rich and unique source of paleoecological data due to their ability to preserve soft body fossils. However, interpretations concerning their environmental context are often hampered by uncertainties in the relationship between assemblages of inclusions and geological context, particularly in the case of

Download English Version:

<https://daneshyari.com/en/article/8868153>

Download Persian Version:

<https://daneshyari.com/article/8868153>

[Daneshyari.com](https://daneshyari.com)