## Accepted Manuscript

A new macroalgal assemblage from the Xiaoshiba Biota (Cambrian Series 2, Stage 3) of southern China

PALAEO geography dimetology 3

Tian Lan, Jie Yang, Xi-guang Zhang, Jin-bo Hou

PII: S0031-0182(17)30896-9

DOI: doi:10.1016/j.palaeo.2018.02.029

Reference: PALAEO 8687

To appear in: Palaeogeography, Palaeoclimatology, Palaeoecology

Received date: 28 August 2017 Revised date: 26 February 2018 Accepted date: 27 February 2018

Please cite this article as: Tian Lan, Jie Yang, Xi-guang Zhang, Jin-bo Hou, A new macroalgal assemblage from the Xiaoshiba Biota (Cambrian Series 2, Stage 3) of southern China. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Palaeo(2017), doi:10.1016/j.palaeo.2018.02.029

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

A new macroalgal assemblage from the Xiaoshiba Biota (Cambrian

Series 2, Stage 3) of southern China

Tian Lan <sup>a, b, c</sup>, Jie Yang <sup>a, b</sup>, Xi-guang Zhang <sup>a, b</sup>, Jin-bo Hou <sup>a, b, d, \*</sup>

<sup>a</sup> Yunnan Key Laboratory for Paleobiology, Yunnan University, Kunming

650091, China

b MEC International Joint Laboratory for Palaeobiology and

Palaeoenvironment, Yunnan University, China

<sup>c</sup> College of Resources and Environmental Engineering, Guizhou University,

Guiyang 550003, China

<sup>d</sup> Department of Earth Sciences, University of California, Riverside CA 92521,

**USA** 

\* Corresponding author.

E-mail address: <a href="mailto:houjinboo@gmail.com">houjinboo@gmail.com</a> (J.-B. Hou)

Abstract: Exquisitely preserved Burgess Shale-type fossils from the

Xiaoshiba Lagerstätte in the Cambrian (Series 2) Hongjingshao Formation of

southern China provide remarkable perspective on early metazoans but have

never been reported with plants. Here we first recognize a new assemblage of

highly mineralized macroalgae from this biota. Based on morphological

## Download English Version:

## https://daneshyari.com/en/article/8868225

Download Persian Version:

https://daneshyari.com/article/8868225

<u>Daneshyari.com</u>