
Accepted Manuscript

An endemic ichnoassemblage from a late Miocene paleolake in SE Iceland



Richard Pokorný, Lukáš Krmíček, Masafumi Sudo

PII:	S0031-0182(17)30211-0
DOI:	doi: 10.1016/j.palaeo.2017.07.033
Reference:	PALAEO 8384
To appear in:	Palaeogeography, Palaeoclimatology, Palaeoecology
Received date:	24 February 2017
Revised date:	18 July 2017
Accepted date:	28 July 2017

Please cite this article as: Richard Pokorný, Lukáš Krmíček, Masafumi Sudo, An endemic ichnoassemblage from a late Miocene paleolake in SE Iceland, *Palaeogeography, Palaeoclimatology, Palaeoecology* (2017), doi: 10.1016/j.palaeo.2017.07.033

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

An endemic ichnoassemblage from a Late Miocene paleolake in SE Iceland

Richard Pokorný^{1,2*}, Lukáš Krmíček^{2,3,4}, Masafumi Sudo⁵

¹ Jan Evangelista Purkyně University, Faculty of Environment, Králova Výšina 3132/7, 40096

Ústí nad Labem, Czech Republic, richard.pokorny@ujep.cz

*corresponding author

² Masaryk University, Faculty of Science, Department of Geological Sciences, Kotlářská 2,

611 37 Brno, Czech Republic

³ Brno University of Technology, Faculty of Civil Engineering, AdMaS Centre, Veveří 95, 602 00 Brno, Czech Republic, l.krmicek@gmail.com

⁴ Institute of Geology, v.v.i., The Czech Academy of Sciences, Rozvojová 269, 165 02 Prague
6, Czech Republic

⁵ University of Potsdam, Institute of Earth and Environmental Science, Karl-Liebknecht-Str.
24–25, 14476 Potsdam-Golm, Germany, msudo@geo.uni-potsdam.de

Abstract

In Þórisdalur valley, a small relict of a sedimentary body was identified in southeastern Iceland. It probably represents a remnant of the deep, tectonically arranged paleolake (Late Miocene, 8–9 Ma), and filled by volcaniclastic material from nearby, active volcanic centres. In the profile of tuffitic sandstone, siltstone and claystone, the ripple-bedding layers, molds Download English Version:

https://daneshyari.com/en/article/8868719

Download Persian Version:

https://daneshyari.com/article/8868719

Daneshyari.com