Accepted Manuscript

Influence of internal bores on larval fish abundance and community composition

Patrick J. Phelan, John Steinbeck, Ryan K. Walter

PII: S2352-4855(17)30271-2

DOI: https://doi.org/10.1016/j.rsma.2018.03.010

Reference: RSMA 372

To appear in: Regional Studies in Marine Science

Received date: 5 September 2017 Revised date: 19 January 2018 Accepted date: 23 March 2018



Please cite this article as: Phelan P.J., Steinbeck J., Walter R.K., Influence of internal bores on larval fish abundance and community composition. *Regional Studies in Marine Science* (2018), https://doi.org/10.1016/j.rsma.2018.03.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

1 Influence of Internal Bores on Larval Fish Abundance and Community Composition

- 2 Patrick J. Phelan^{1*}, John Steinbeck¹, Ryan K. Walter²
- ¹Tenera Environmental Inc., San Luis Obispo, CA, USA
- ²Physics Department, California Polytechnic State University, San Luis Obispo, CA, USA
- * Corresponding author: <u>jphelan@tenera.com</u>

6

7

8

- 9 Keywords: larval fish, internal waves and bores, larval abundance, submarine canyon,
- 10 subthermocline water

11

Download English Version:

https://daneshyari.com/en/article/8872582

Download Persian Version:

https://daneshyari.com/article/8872582

<u>Daneshyari.com</u>