


Accepted Manuscript

Identifying, counting, and characterizing superfine activated-carbon particles remaining after coagulation, sedimentation, and sand filtration

Yoshifumi Nakazawa, Yoshihiko Matsui, Yusuke Hanamura, Koki Shinno, Nobutaka Shirasaki, Taku Matsushita



PII: S0043-1354(18)30242-2

DOI: [10.1016/j.watres.2018.03.046](https://doi.org/10.1016/j.watres.2018.03.046)

Reference: WR 13665

To appear in: *Water Research*



Received Date: 1 November 2017

Revised Date: 13 March 2018

Accepted Date: 16 March 2018

Please cite this article as: Nakazawa, Y., Matsui, Y., Hanamura, Y., Shinno, K., Shirasaki, N., Matsushita, T., Identifying, counting, and characterizing superfine activated-carbon particles remaining after coagulation, sedimentation, and sand filtration, *Water Research* (2018), doi: 10.1016/j.watres.2018.03.046.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

SPAC7.5 mg/L = $\sim 5 \times 10^7$ particles/mL $D_{50} = 1 \mu\text{m}$ **PAC**30 mg/L = $\sim 1 \times 10^7$ particles /mL $D_{50} = 14 \mu\text{m}$ 

Download English Version:

<https://daneshyari.com/en/article/8874021>

Download Persian Version:

<https://daneshyari.com/article/8874021>

[Daneshyari.com](https://daneshyari.com)