Accepted Manuscript

Stormwater constructed wetlands: A source or a sink of *Campylobacter* spp.

Ze Meng, Gayani Chandrasena, Rebekah Henry, Ana Deletic, Peter Kolotelo, David McCarthy

PII: S0043-1354(17)31040-0

DOI: 10.1016/j.watres.2017.12.045

Reference: WR 13443

To appear in: Water Research

Received Date: 27 April 2017

Revised Date: 10 December 2017

Accepted Date: 19 December 2017

Please cite this article as: Meng, Z., Chandrasena, G., Henry, R., Deletic, A., Kolotelo, P., McCarthy, D., Stormwater constructed wetlands: A source or a sink of *Campylobacter* spp., *Water Research* (2018), doi: 10.1016/j.watres.2017.12.045.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 Water Research, Research Paper

² Stormwater constructed

³ wetlands: a source or a

⁴ sink of *Campylobacter* spp.

- 5 Ze Meng¹, Gayani Chandrasena¹, Rebekah Henry¹,
- 6 Ana Deletic¹, Peter Kolotelo¹, David McCarthy^{1,*}
- 7 ¹Environmental and Public Health Microbiology Laboratory (EPHM
- 8 Lab), Monash Infrastructure Research Institute, Department of Civil
- 9 Engineering, Monash University, VIC 3800, Australia
- ^{*}Corresponding Author, Phone: +61 4 006 34365, Email:
- 11 david.mccarthy@monash.edu

12 Abstract

13	Stormwater constructed wetlands are not well characterised for
14	their ability to remove pathogens which can pose public health risks
15	during stormwater harvesting activities. This study investigated the
16	behaviour of faecal indicator organism Escherichia coli (E. coli) and
17	reference pathogen Campylobacter spp. in stormwater constructed
18	wetlands, using a case study system located in Melbourne, Australia.
19	Grab sampling and event-based monitoring revealed influent
20	concentrations of <i>E. coli</i> were typical of other urban stormwater

Download English Version:

https://daneshyari.com/en/article/8874493

Download Persian Version:

https://daneshyari.com/article/8874493

Daneshyari.com