

Accepted Manuscript

The start of the Abiogenesis: Preservation of homochirality in proteins as a necessary and sufficient condition for the establishment of the metabolism

Søren Toxvaerd

PII: S0022-5193(18)30228-5
DOI: [10.1016/j.jtbi.2018.05.009](https://doi.org/10.1016/j.jtbi.2018.05.009)
Reference: YJTBI 9465



To appear in: *Journal of Theoretical Biology*

Received date: 4 December 2017
Revised date: 2 March 2018
Accepted date: 3 May 2018

Please cite this article as: Søren Toxvaerd, The start of the Abiogenesis: Preservation of homochirality in proteins as a necessary and sufficient condition for the establishment of the metabolism, *Journal of Theoretical Biology* (2018), doi: [10.1016/j.jtbi.2018.05.009](https://doi.org/10.1016/j.jtbi.2018.05.009)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The role of the secondary structures for homochirality in proteins.
- The role of stereospecific proteins for obtaining homochirality of carbohydrates.
- The origin of the L-amino acid/D-carbohydrate world.
- The order of evolutionary steps at the origin of life.

Download English Version:

<https://daneshyari.com/en/article/8876646>

Download Persian Version:

<https://daneshyari.com/article/8876646>

[Daneshyari.com](https://daneshyari.com)