


## Accepted Manuscript

Analysis of Interventions Against the Liver Fluke, *Opisthorchis viverrini*

Christine Bürli, Helmut Harbrecht, Peter Odermatt,  
Somphou Sayasone, Nakul Chitnis

PII: S0025-5564(17)30583-7  
DOI: [10.1016/j.mbs.2018.06.008](https://doi.org/10.1016/j.mbs.2018.06.008)  
Reference: MBS 8093



To appear in: *Mathematical Biosciences*

Received date: 24 November 2017  
Revised date: 5 June 2018  
Accepted date: 25 June 2018

Please cite this article as: Christine Bürli, Helmut Harbrecht, Peter Odermatt, Somphou Sayasone, Nakul Chitnis, Analysis of Interventions Against the Liver Fluke, *Opisthorchis viverrini*, *Mathematical Biosciences* (2018), doi: [10.1016/j.mbs.2018.06.008](https://doi.org/10.1016/j.mbs.2018.06.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- Education campaign and improved sanitation is not enough to reach elimination of *O. viverrini* in 20 years, mass drug administration is also needed.
- The mass drug administration has to take place at least once a year, especially when the coverage level is low.
- The optimal coverage level of mass drug administration is at a medium level and level of coverage of education campaign and improved sanitation as high as possible for all their additional benefits.

Download English Version:

<https://daneshyari.com/en/article/8876960>

Download Persian Version:

<https://daneshyari.com/article/8876960>

[Daneshyari.com](https://daneshyari.com)