Overexpression of an aquaglyceroporin gene in the fungal biocontrol agent Trichoderma harzianum affects stress tolerance, pathogen antagonism and Phaseolus vulgaris development

P.M. Vieira, S. Zeilinger, R.S. Brandão, G.R. Vianna, R.C. Georg, S. Gruber, F.J.L. Aragão, C.J. Ulhoa

PII: S1049-9644(18)30206-8
DOI: https://doi.org/10.1016/j.biocontrol.2018.08.012
Reference: YBCON 3828

To appear in: *Biological Control*

Received Date: 4 April 2018
Revised Date: 25 July 2018
Accepted Date: 14 August 2018

Please cite this article as: Vieira, P.M., Zeilinger, S., Brandão, R.S., Vianna, G.R., Georg, R.C., Gruber, S., Aragão, F.J.L., Ulhoa, C.J., Overexpression of an aquaglyceroporin gene in the fungal biocontrol agent Trichoderma harzianum affects stress tolerance, pathogen antagonism and Phaseolus vulgaris development, *Biological Control* (2018), doi: https://doi.org/10.1016/j.biocontrol.2018.08.012

Overexpression of an *aquaglyceroporin* gene in the fungal biocontrol agent *Trichoderma harzianum* affects stress tolerance, pathogen antagonism and *Phaseolus vulgaris* development

Vieira, PM[a*] ; Zeilinger, S[b]; Brandão, RS[c] ; Vianna, GR[d], Georg, RC[c]; Gruber, S[b], Aragão, FJL[d]; Ulhoa, CJ [c]

[a] Instituto Federal Goiano, Laboratório de Biotecnologia, *Campus* Urutaí. Rodovia Geraldo Silva Nascimento, km 2,5, CEP 75790-000, Urutaí, GO, Brasil.

[b] Department of Microbiology, University of Innsbruck, Technikerstrasse 25, A-6020 Innsbruck, Austria.

[c] Departamento de Bioquímica e Biologia Molecular, Instituto de Ciências Biológicas, Universidade Federal de Goiás, *Campus* Samambaia, P.O. Box 131, CEP 74001-970, Goiânia, GO, Brasil.

[d] Embrapa Recursos Genéticos e Biotecnologia, PqEB W5 Norte, CEP 70770-900, Brasília,DF, Brasil.

∗ *Corresponding author:*

[a] Instituto Federal Goiano, Laboratório de Biotecnologia, *Campus* Urutaí. Rodovia Geraldo Silva Nascimento, km 2,5, CEP 75790-000, Urutaí, GO, Brasil.

Tel.: + 55-64-34653090

E-mail address: pabline.vieira@ifgoiano.edu.br