Accepted Manuscript

Biological control of Salvinia molesta in South Africa revisited

G.D. Martin, J.A Coetzee, P.S.R. Weyl, M.C. Parkinson, M.P. Hill

PII:	S1049-9644(18)30450-X
DOI:	https://doi.org/10.1016/j.biocontrol.2018.06.011
Reference:	YBCON 3797

To appear in: Biological Control

Received Date:26 July 2017Revised Date:22 June 2018Accepted Date:23 June 2018



Please cite this article as: Martin, G.D., Coetzee, J.A, Weyl, P.S.R., Parkinson, M.C., Hill, M.P., Biological control of *Salvinia molesta* in South Africa revisited, *Biological Control* (2018), doi: https://doi.org/10.1016/j.biocontrol. 2018.06.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Biological control of Salvinia molesta in South Africa revisited

G.D. Martin^{1*}, J.A Coetzee², P.S.R. Weyl^{1,3}, M.C. Parkinson^{4, 5} and M.P. Hill¹

¹ Centre for Biological Control, Department of Zoology and Entomology, Rhodes University,

P.O. Box 94, Grahamstown, 6140, South Africa. <u>g.martin@ru.ac.za</u>

² Centre for Biological Control, Botany Department, Rhodes University, P.O. Box 94,

Grahamstown, 6140, South Africa

³CABI, Rue des Grillons 1, Delémont, 2800, Switzerland (current address)

⁴ South African Institute for Aquatic Biodiversity, Private Bag 1015, Grahamstown, 6140, South Africa

⁵ Department of Ichthyology and Fisheries Science, Rhodes University, P.O. Box 94, Grahamstown, 6140, South Africa

*corresponding author: Centre for Biological Control, Department of Zoology and Entomology, Rhodes University, Grahamstown, 6140, South Africa. email-<u>g.martin@ru.ac.za</u>, Phone: Office: +(27) 46 603 8702, Cell: +(27) 83 442 5099

Abstract

The aquatic weed *Salvinia molesta* D.S. Mitch. (Salviniaceae) was first recorded in South Africa in the early 1900s, and by the 1960s was regarded as one of South Africa's worst aquatic weeds. Following the release of the weevil, *Cyrtobagous salviniae* Calder and Sands (Coleoptera: Curculionidae) in 1985, the weed is now considered under successful biological control. However, the post-release evaluation of this biological control programme has been *ad hoc*, therefore, to assess the efficacy of the agent, annual quantitative surveys of South African freshwater systems have been undertaken since 2008. Over the last ten years, of the 57 *S. molesta* sites visited annually in South Africa, the weevil has established at all of them.

Download English Version:

https://daneshyari.com/en/article/8877546

Download Persian Version:

https://daneshyari.com/article/8877546

Daneshyari.com