Accepted Manuscript

Title: Composition and functional roles of the gut microbiota

in mosquitoes

Author: Michael R. Strand

PII: S2214-5745(18)30067-1

DOI: https://doi.org/10.1016/j.cois.2018.05.008

Reference: COIS 468

To appear in:

Received date: 11-4-2018 Revised date: 13-5-2018 Accepted date: 16-5-2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Page 1 of 20

Composition and functional roles of the gut microbiota in mosquitoes

Michael R. Strand

Address

Department of Entomology, University of Georgia, Athens, GA, 30602, United States of America

*Corresponding author: Strand, Michael R (mrstrand@uga.edu)

An estimated 3500 species of mosquitoes (family Culicidae) exist worldwide of which several are known vectors of pathogens that cause disease in humans and other vertebrates. Mosquitoes also host communities of microbes in their digestive tract that form a gut microbiota. Recent studies provide important insights on how mosquitoes acquire a gut microbiota and the community of microbes that are present. Results also indicate that the gut microbiota affects several aspects of mosquito biology. Altogether, these effects impact mosquito fitness with potential consequences for disease prevalence.

Download English Version:

https://daneshyari.com/en/article/8878419

Download Persian Version:

https://daneshyari.com/article/8878419

<u>Daneshyari.com</u>