Accepted Manuscript



Outlook: Sorghum as a feed grain for Australian chicken-meat production

Peter H. Selle, Amy F. Moss, Ha H. Truong, Ali Khoddami, David J. Cadogan, Ian D. Godwin, Sonia Yun Liu

PII: S2405-6545(17)30143-9

DOI: 10.1016/j.aninu.2017.08.007

Reference: ANINU 179

To appear in: *Animal Nutrition Journal*

Received Date: 31 July 2017

Revised Date: 16 August 2017

Accepted Date: 17 August 2017

Please cite this article as: Selle PH, Moss AF, Truong HH, Khoddami A, Cadogan DJ, Godwin ID, Liu SY, Outlook: Sorghum as a feed grain for Australian chicken-meat production, *Animal Nutrition Journal* (2017), doi: 10.1016/j.aninu.2017.08.007.

Outlook: Sorghum as a feed grain for Australian chicken-meat production

Peter H. Selle[a,*], Amy F. Moss[a], Ha H. Truong[a], Ali Khoddami[a,b], David J. Cadogan[c], Ian D. Godwin[d], Sonia Y. Liu[a]

[a] Poultry Research Foundation, The University of Sydney, Camden, NSW 2570, Australia

[b] Sydney Institute of Agriculture, Faculty of Science, The University of Sydney, NSW 2006, Australia

[c] Feedworks, PO Box 369, Romsey, Vic 3434, Australia

[d] School of Agriculture and Food Sciences, The University of Queensland, QLD 4072, Australia

*Corresponding author.

E-mail address: peter.selle@sydney.edu.au (P.H. Selle).

Keywords: Kafirin; Phenolic compounds; Phytate; Poultry; Sorghum; Starch