
Accepted Manuscript

Title: Relationships among aggressiveness, fearfulness and response to humans in finisher pigs

Authors: Carly I. O'Malley, Kaitlin E. Wurtz, Juan P. Steibel, Ronald O. Bates, Catherine W. Ernst, Janice M. Siegford



To appear in: APPLAN


 Received date:
 1-6-2017

 Revised date:
 22-2-2018

 Accepted date:
 4-3-2018

Please cite this article as: O'Malley, Carly I., Wurtz, Kaitlin E., Steibel, Juan P., Bates, Ronald O., Ernst, Catherine W., Siegford, Janice M., Relationships among aggressiveness, fearfulness and response to humans in finisher pigs. Applied Animal Behaviour Science https://doi.org/10.1016/j.applanim.2018.03.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Relationships among aggressiveness, fearfulness and response to humans in finisher pigs

Carly I. O'Malley*, Kaitlin E. Wurtz*, Juan P. Steibel*¥, Ronald O. Bates*,

Catherine W. Ernst*, Janice M. Siegford*

*Department of Animal Science, Michigan State University

474 S. Shaw Lane, East Lansing, MI, USA

omalle50@msu.edu, wurtzkai@msu.edu, steibelj@msu.edu,

batesr@msu.edu, ernstc@msu.edu, siegford@msu.edu

^{*}Department of Fisheries and Wildlife, Michigan State University

480 Wilson Road, East Lansing, MI, USA

Corresponding Author:

Janice Siegford

Department of Animal Science, Michigan State University

474 S. Shaw Lane, East Lansing, MI, USA

517-432-1388

siegford@msu.edu

Highlights

- Pigs' skin lesions 24 h and 3 wk post-mix were related to behavior test responses
- Pigs with more rear lesions 24 h post-mix interacted more intensely with humans
- Pigs with more front lesions 3 wk post-mix were less active in a weigh crate
- Pigs with more front lesions 24 h post-mix took longer to approach a novel object
- Pigs with more front or middle lesions 3 wk post-mix took longer to touch an object

Download English Version:

https://daneshyari.com/en/article/8882737

Download Persian Version:

https://daneshyari.com/article/8882737

Daneshyari.com