Accepted Manuscript

The effect of a microscale fracture on dynamic capillary pressure of two-phase flow in porous media

Mingming Tang , Huifang Ma , Shuangfang Lu , Hongbin Zhan , Wenyue Guo

PII:S0309-1708(17)30931-4DOI:10.1016/j.advwatres.2018.01.015Reference:ADWR 3071



To appear in: *Advances in Water Resources*

Received date:28 September 2017Revised date:15 January 2018Accepted date:15 January 2018

Please cite this article as: Mingming Tang, Huifang Ma, Shuangfang Lu, Hongbin Zhan, Wenyue Guo, The effect of a microscale fracture on dynamic capillary pressure of two-phase flow in porous media, *Advances in Water Resources* (2018), doi: 10.1016/j.advwatres.2018.01.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Lattice Boltzmann method is used to invest dynamic capillary pressure (DCP) effects
- Significant effects of micro scale fractures on DCP are observed
- The orientation of micro-fracture will influence DCP coefficient

Download English Version:

https://daneshyari.com/en/article/8883364

Download Persian Version:

https://daneshyari.com/article/8883364

Daneshyari.com