Accepted Manuscript

Inherent relevance of MRMT models to concentration variance and mixing-induced reactivity

Tristan Babey, Jean-Raynald de Dreuzy, Alain Rapaport, Alejandro Rojas-Palma

 PII:
 S0309-1708(17)30366-4

 DOI:
 10.1016/j.advwatres.2017.09.024

 Reference:
 ADWR 2958



To appear in: Advances in Water Resources

Received date:10 April 2017Revised date:21 July 2017Accepted date:27 September 2017

Please cite this article as: Tristan Babey, Jean-Raynald de Dreuzy, Alain Rapaport, Alejandro Rojas-Palma, Inherent relevance of MRMT models to concentration variance and mixing-induced reactivity, *Advances in Water Resources* (2017), doi: 10.1016/j.advwatres.2017.09.024

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Relevance of MRMT models to reactive transport

1 Highlights

- Generic models of concentration variability in diffusion-dominated porosities.
- Mobile/immobile models like MRMT are relevant for concentration mean and variance.
- Combinations of porosities in MRMT inherently conserve concentration variance.
- Equivalent MRMT models approximate well homogeneous and heterogeneous reactivities.
- Equivalent MRMT should be of the same minimal dimension as the input/output system.

Download English Version:

https://daneshyari.com/en/article/8883452

Download Persian Version:

https://daneshyari.com/article/8883452

Daneshyari.com