### Accepted Manuscript

Title: Plant community structure of the floating meadows of a hypereutrophic wetland in the Indo-Burma Biodiversity Hotspot

Authors: Chongpi Tuboi, Syed Ainul Hussain

PII: S0304-3770(18)30041-X

DOI: https://doi.org/10.1016/j.aquabot.2018.06.006


Reference: AQBOT 3043

To appear in: Aquatic Botany

Received date: 15-2-2018 Revised date: 16-4-2018 Accepted date: 29-6-2018

Please cite this article as: Tuboi C, Hussain SA, Plant community structure of the floating meadows of a hypereutrophic wetland in the Indo-Burma Biodiversity Hotspot, *Aquatic Botany* (2018), https://doi.org/10.1016/j.aquabot.2018.06.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



# Plant community structure of the floating meadows of a hypereutrophic wetland in the Indo-Burma Biodiversity Hotspot

#### Chongpi Tuboi

Wildlife Institute of India, Post Box # 18, Chandrabani

Dehra Dun, 248001, Uttarakhand, India.

E-mail: chongpituboi@gmail.com

Telephone number: +91-135-2646210

#### Syed Ainul Hussain\*

Wildlife Institute of India, Post Box # 18, Chandrabani

Dehra Dun, 248001, Uttarakhand, India.

E-mail: hussain@wii.gov.in

Telephone number: +91-135-2646210

Mobile telephone number: +91-9412075660

#### \*Corresponding author

Department of Landscape Level Planning and Management

Wildlife Institute of India, Post Box # 18, Chandrabani

Dehra Dun, 248001, Uttarakhand, India.

Telephone number: +91-135-2646210

Mobile telephone number: +91-9412075660

E-mail: hussain@wii.gov.in

#### Highlights

- Floristic community of floating meadows was examined using 936 plots.
- Eight to nine floristic communities were identified across various seasons.
- Community structure varied significantly across seasons and thickness of meadows.

#### Download English Version:

## https://daneshyari.com/en/article/8883548

Download Persian Version:

https://daneshyari.com/article/8883548

<u>Daneshyari.com</u>