


Accepted Manuscript

Title: Waterborne exposure to low concentrations of BDE-47 impedes early vascular development in zebrafish embryos/larvae

Authors: Xiumei Xing, Jianmeng Kang, Jiahuang Qiu, Xiali Zhong, Xiongjie Shi, Bingsheng Zhou, Yanhong Wei



PII: S0166-445X(18)30467-3
DOI: <https://doi.org/10.1016/j.aquatox.2018.07.012>
Reference: AQTOX 4985

To appear in: *Aquatic Toxicology*

Received date: 23-5-2018
Revised date: 13-7-2018
Accepted date: 14-7-2018

Please cite this article as: Xing X, Kang J, Qiu J, Zhong X, Shi X, Zhou B, Wei Y, Waterborne exposure to low concentrations of BDE-47 impedes early vascular development in zebrafish embryos/larvae, *Aquatic Toxicology* (2018), <https://doi.org/10.1016/j.aquatox.2018.07.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title page

Waterborne exposure to low concentrations of BDE-47 impedes early vascular development in zebrafish embryos/larvae

Xiumei Xing ^a, Jianmeng Kang ^a, Jiahuang Qiu ^a, Xiali Zhong ^a, Xiongjie Shi ^b,
Bingsheng Zhou ^c, Yanhong Wei ^{a,*}

^a Guangdong Provincial Key Laboratory of Food, Nutrition and Health, Department of Toxicology, School of Public Health, Sun Yat-sen University, Guangzhou 510080, China

^b Hubei Key Laboratory of Cell Homeostasis, College of Life Sciences, the Institute for Advanced Studies, Wuhan University, Wuhan 430072, China

^c State Key Laboratory of Freshwater Ecology and Biotechnology, Institute of Hydrobiology, Chinese Academy of Sciences, Wuhan 430072, China

* Corresponding author at: Department of Toxicology, School of Public Health, Sun Yat-sen University, No.74 Zhongshan Rd. 2, Guangzhou 510080, China. Email: weiyh9@mail.sysu.edu.cn

Highlights

- Low concentrations of BDE-47 exposure had no effect on general toxicity in early stages, but led to impairments in the growth of multiple types of blood vessels.

Download English Version:

<https://daneshyari.com/en/article/8883616>

Download Persian Version:

<https://daneshyari.com/article/8883616>

[Daneshyari.com](https://daneshyari.com)