

Title: Genome-wide scan reveals signatures of selection related to pollution adaptation in non-model estuarine Atlantic killifish (*Fundulus heteroclitus*)

Authors: J.S. Osterberg, K.M. Cammen, T.F. Schultz, B.W. Clark, R.T. Di Giulio

PII: S0166-445X(18)30130-9
DOI: https://doi.org/10.1016/j.aquatox.2018.04.017
Reference: AQTOX 4925

To appear in: *Aquatic Toxicology*

Received date: 12-2-2018
Revised date: 21-4-2018
Accepted date: 24-4-2018

Please cite this article as: Osterberg, J.S., Cammen, K.M., Schultz, T.F., Clark, B.W., Di Giulio, R.T., Genome-wide scan reveals signatures of selection related to pollution adaptation in non-model estuarine Atlantic killifish (Fundulus heteroclitus).Aquatic Toxicology https://doi.org/10.1016/j.aquatox.2018.04.017

Genome-wide scan reveals signatures of selection related to pollution adaptation in non-model estuarine Atlantic killifish (*Fundulus heteroclitus*)

Authors:

J.S. Osterberg[1,2,*], K.M. Cammen[2,3], T.F. Schultz[2], B.W. Clark[1,4], R.T. Di Giulio[1]

[1]Duke University, Nicholas School of the Environment, Duke Superfund Research Center, Durham, NC 27708, USA

[2]Duke University, Nicholas School of the Environment, Duke Marine Lab, Beaufort, NC 28516, USA

[3]Current Address: University of Maine, School of Marine Sciences, Orono, ME 04469, USA

[4]Current Address: Atlantic Ecology Division, Oak Ridge Institute for Science and Education, Office of Research and Development, US Environmental Protection Agency, Narragansett, RI 02882, USA

Keywords: AIP, ARNT, Elizabeth River, PAH, RADseq

Corresponding author: Duke University Marine Lab, 135 Duke Marine Lab Rd, Beaufort, NC, 28516, USA. Email address: jso6@duke.edu (J. Osterberg).

Running title: Molecular adaptations to PAHs in Killifish