Accepted Manuscript

Title: Influence of body size, metabolic rate and life history stage on the uptake and excretion of the lampricide 3-trifluoromethyl-4-nitrophenol (TFM) by invasive sea lampreys (*Petromyzon marinus*)

Authors: Laura R. Tessier, Tristan A.F. Long, Michael P.

Wilkie

PII: S0166-445X(17)30304-1

DOI: https://doi.org/10.1016/j.aquatox.2017.10.020

Reference: AQTOX 4782

To appear in: Aquatic Toxicology

Received date: 15-1-2017 Revised date: 20-10-2017 Accepted date: 24-10-2017

Please cite this article as: Tessier, Laura R., Long, Tristan A.F., Wilkie, Michael P., Influence of body size, metabolic rate and life history stage on the uptake and excretion of the lampricide 3-trifluoromethyl-4-nitrophenol (TFM) by invasive sea lampreys (Petromyzon marinus). Aquatic Toxicology https://doi.org/10.1016/j.aquatox.2017.10.020

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Influence of body size, metabolic rate and life history stage on the uptake and excretion of the lampricide 3-trifluoromethyl-4-nitrophenol (TFM) by invasive sea lampreys (*Petromyzon marinus*).

by

Laura R. Tessier, Tristan A.F. Long and Michael P. Wilkie*

Department of Biology and Laurier Institute for Water Science,

Wilfrid Laurier University, 75 University Ave West, Waterloo, ON, N2L 3C5 Canada.

Email: mwilkie@wlu.ca

Phone: 1 519 884-0710 extension 3313

*Author of correspondence

Download English Version:

https://daneshyari.com/en/article/8883879

Download Persian Version:

https://daneshyari.com/article/8883879

<u>Daneshyari.com</u>