

Author's Accepted Manuscript

On the temporal variability of intermediate and deep waters in the Western Basin of the Bransfield Strait

Eduardo M. Ruiz Barlett, Gabriela V. Tosonotto, Alberto R. Piola, Marta E. Sierra, Mauricio M. Mata



www.elsevier.com/locate/dsr2

PII: S0967-0645(17)30255-2
DOI: <https://doi.org/10.1016/j.dsr2.2017.12.010>
Reference: DSR114370

To appear in: *Deep-Sea Research Part II*

Received date: 30 June 2017
Revised date: 8 December 2017
Accepted date: 11 December 2017

Cite this article as: Eduardo M. Ruiz Barlett, Gabriela V. Tosonotto, Alberto R. Piola, Marta E. Sierra and Mauricio M. Mata, On the temporal variability of intermediate and deep waters in the Western Basin of the Bransfield Strait, *Deep-Sea Research Part II*, <https://doi.org/10.1016/j.dsr2.2017.12.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

On the temporal variability of intermediate and deep waters in the Western Basin of the Bransfield Strait

Eduardo M. Ruiz Barlett^{1,*}, Gabriela V. Tosonotto¹, Alberto R. Piola^{2,3}, Marta E. Sierra^{1,2} and
Mauricio M. Mata⁴

¹ Instituto Antártico Argentino, Av. 25 de Mayo 1143 (B1650HMK), General San Martín, Buenos Aires, Argentina.

² Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires (UBA), Intendente Güiraldes 2160 (C1428EGA), Ciudad Autónoma de Buenos Aires, Argentina.

³ Servicio de Hidrografía Naval and UMI-IFAECI, Av. Montes de Oca 2124 (C1270ABV), Ciudad Autónoma de Buenos Aires, Argentina.

⁴ Laboratório de Estudos dos Oceanos e Clima, Instituto de Oceanografia, Universidade Federal do Rio Grande (FURG), Rio Grande, RS, 96203-900, Brasil.

*Corresponding author at: Departamento de Oceanografía, Instituto Antártico Argentino, Av. 25 de Mayo 1143 (B1650HMK), General San Martín, Buenos Aires, Argentina. Phone number: +54 11 2033-1420 / 4724-1500.

E-mail addresses: eruiz@dna.gov.ar, eruizbarlett@yahoo.com.ar (E.M. Ruiz Barlett), gtosonotto@dna.gov.ar (G.V. Tosonotto), piolaar@gmail.com (A.R. Piola), msierra@dna.gov.ar (M.E. Sierra), mauricio.mata@furg.br (M.M. Mata).

Submitted to Deep Sea Research II - Special Issue: *Oceanographic processes and biological responses around Northern Antarctic Peninsula (NAP): a 15-year contribution of the Brazilian High Latitudes Oceanographic Group*

ABSTRACT

The Western Basin (WB) of the Bransfield Strait has a complex water mass structure derived from a variety of sources, and is located next to the Antarctic region most affected by climate change. The WB is one of the three Bransfield Strait deep basins and the one most directly

Download English Version:

<https://daneshyari.com/en/article/8884397>

Download Persian Version:

<https://daneshyari.com/article/8884397>

[Daneshyari.com](https://daneshyari.com)