Accepted Manuscript



Can single classifiers be as useful as model ensembles to produce benthic seabed substratum maps?

Joseph A. Turner, Russell C. Babcock, Renae Hovey, Gary A. Kendrick

PII: S0272-7714(17)30943-5

DOI: 10.1016/j.ecss.2018.02.028

Reference: YECSS 5770

To appear in: *Estuarine, Coastal and Shelf Science*

Received Date: 29 September 2017

Revised Date: 31 January 2018

Accepted Date: 24 February 2018

Please cite this article as: Turner, J.A., Babcock, R.C., Hovey, R., Kendrick, G.A., Can single classifiers be as useful as model ensembles to produce benthic seabed substratum maps?, *Estuarine, Coastal and Shelf Science* (2018), doi: 10.1016/j.ecss.2018.02.028.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Can single classifiers be as useful as model ensembles to produce benthic seabed substratum maps?

Joseph A Turner[1, 2], Russell C. Babcock[1, 3], Renae Hovey[1], Gary A. Kendrick[1]

[1] University of Western Australia, School of Biological Sciences, 35 Stirling Highway, Crawley, WA, 6009

[2] CSIRO Oceans and Atmosphere, Indian Ocean Marine Research Centre, University of Western Australia, 35 Stirling Highway, Crawley, WA, 6009

[3] CSIRO Oceans and Atmosphere, Dutton Park, Brisbane, QLD, 4001

Email: Joseph.Turner@research.uwa.edu.au

Phone: +61 8 9333 6021

ACCEPTED MANUSCRIPT

Download English Version:

https://daneshyari.com/en/article/8884937

Download Persian Version:

https://daneshyari.com/article/8884937

Daneshyari.com