


Accepted Manuscript

Seasonal dynamics and functioning of the Sylt-Rømø Bight, northern Wadden Sea

Camille de la Vega, Sabine Horn, Dan Baird, David Hines, Stuart Borret, Lasse Fast Jensen, Philipp Schwemmer, Ragnhild Asmus, Ursula Siebert, Harald Asmus



PII: S0272-7714(17)30373-6

DOI: [10.1016/j.ecss.2018.01.021](https://doi.org/10.1016/j.ecss.2018.01.021)

Reference: YECSS 5735

To appear in: *Estuarine, Coastal and Shelf Science*

Received Date: 5 April 2017

Revised Date: 18 December 2017

Accepted Date: 19 January 2018

Please cite this article as: de la Vega, C., Horn, S., Baird, D., Hines, D., Borret, S., Jensen, L.F., Schwemmer, P., Asmus, R., Siebert, U., Asmus, H., Seasonal dynamics and functioning of the Sylt-Rømø Bight, northern Wadden Sea, *Estuarine, Coastal and Shelf Science* (2018), doi: 10.1016/j.ecss.2018.01.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Sylt-Rømø Bight
(German
Wadden Sea)

High seasonal
variation of
compartment
biomass

*Ecological Network
Analysis on four seasonal
food web models*



- The redundancy, effective link density and flow diversity, reflecting the ability of the system to withstand disturbances, are significantly higher in summer than in fall and winter

Download English Version:

<https://daneshyari.com/en/article/8884973>

Download Persian Version:

<https://daneshyari.com/article/8884973>

[Daneshyari.com](https://daneshyari.com)