


Accepted Manuscript

Improving estimates of groundwater velocity in a fractured rock borehole using hydraulic and tracer dilution methods

Carlos H. Maldaner, Patrick M. Quinn, John A. Cherry, Beth L. Parker



PII: S0169-7722(17)30152-3
DOI: doi:[10.1016/j.jconhyd.2018.05.003](https://doi.org/10.1016/j.jconhyd.2018.05.003)
Reference: CONHYD 3393
To appear in: *Journal of Contaminant Hydrology*
Received date: 5 August 2017
Revised date: 6 May 2018
Accepted date: 9 May 2018

Please cite this article as: Carlos H. Maldaner, Patrick M. Quinn, John A. Cherry, Beth L. Parker , Improving estimates of groundwater velocity in a fractured rock borehole using hydraulic and tracer dilution methods. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Conhyd(2017), doi:[10.1016/j.jconhyd.2018.05.003](https://doi.org/10.1016/j.jconhyd.2018.05.003)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Improving estimates of groundwater velocity in a fractured rock borehole using hydraulic and tracer dilution methods

Carlos H. Maldaner^{1,*}; Patrick M. Quinn¹; John A. Cherry¹; Beth L. Parker¹

¹G360 Institute for Groundwater Research, University of Guelph, Guelph, Ontario, N1G 2W1, Canada

*Corresponding author: cmaldaner@g360group.org

URL: www.g360group.org (Beth L. Parker)

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8885794>

Download Persian Version:

<https://daneshyari.com/article/8885794>

[Daneshyari.com](https://daneshyari.com)