

Accepted Manuscript

Impact of 2015–2016 ENSO on the winter bloom and associated phytoplankton community shift in the northeastern Arabian Sea

P.J. Vidya, Siby Kurian



PII: S0924-7963(17)30370-6
DOI: doi:[10.1016/j.jmarsys.2018.06.005](https://doi.org/10.1016/j.jmarsys.2018.06.005)
Reference: MARSYS 3091
To appear in: *Journal of Marine Systems*
Received date: 11 September 2017
Revised date: 1 June 2018
Accepted date: 18 June 2018

Please cite this article as: P.J. Vidya, Siby Kurian , Impact of 2015–2016 ENSO on the winter bloom and associated phytoplankton community shift in the northeastern Arabian Sea. Marsys (2018), doi:[10.1016/j.jmarsys.2018.06.005](https://doi.org/10.1016/j.jmarsys.2018.06.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Impact of 2015–2016 ENSO on the winter bloom and associated phytoplankton community shift in the northeastern Arabian Sea

P. J. Vidya^{1,2*} and Siby Kurian¹

¹CSIR- National Institute of Oceanography, Dona Paula, Goa-403 004, India.

²Present address: National Centre for Antarctic and Ocean Research, Headland Sada, Goa-403 804, India.

*Corresponding author Email: pjvidya@gmail.com

Key Points:

- ENSO weakens the intensity of convective cooling in the NEAS.
- Warm-core eddy controls the ML dynamics during the ENSO event.
- 2015-2016 ENSO event altered the phytoplankton community structure in the NEAS.

Download English Version:

<https://daneshyari.com/en/article/8885916>

Download Persian Version:

<https://daneshyari.com/article/8885916>

[Daneshyari.com](https://daneshyari.com)