

Accepted Manuscript

Title: Mediterranean trees coping with severe drought:
avoidance might not be safe

Authors: Alicia Forner, Fernando Valladares, Ismael Aranda

PII: S0098-8472(18)30672-5
DOI: <https://doi.org/10.1016/j.envexpbot.2018.08.006>
Reference: EEB 3532

To appear in: *Environmental and Experimental Botany*

Received date: 6-5-2018
Revised date: 17-7-2018
Accepted date: 6-8-2018



Please cite this article as: Forner A, Valladares F, Aranda I, Mediterranean trees coping with severe drought: avoidance might not be safe, *Environmental and Experimental Botany* (2018), <https://doi.org/10.1016/j.envexpbot.2018.08.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Mediterranean trees coping with severe drought: avoidance might not be safe

Alicia Forner¹, Fernando Valladares^{1,2}, Ismael Aranda^{3,4}

¹Laboratorio Internacional de Cambio Global (LINC-Global). Departamento de Biogeografía y Cambio Global, Museo Nacional de Ciencias Naturales, MNCN, CSIC, Serrano 115 dpdo, E-28006 Madrid, Spain;

²Departamento de Biología y Geología, Escuela Superior de Ciencias Experimentales y Tecnológicas, Universidad Rey Juan Carlos, c/ Tulipán s/n, E-28933 Móstoles, Spain;

³INIA, Forest Research Centre, Department of Forest Ecology and Genetics, Avda. A Coruña km 7.5, E-28040 Madrid, Spain;

⁴INAGEA, Instituto de Investigaciones Agroambientales y de Economía del Agua, Palma de Mallorca, Islas Baleares, Spain

*Corresponding author: fornersales.alicia@gmail.com

Phone: +34 914111328 ext: 980805

Highlights

- Drought-avoiding species had lower C uptake and higher WUE under severe droughts
- C uptake decrease under drought was mainly due to stomatal closure and not damage
- Species recovered hydraulic function during winter-spring despite severe drought
- *Q. ilex* had the highest capacity to maintain leaf turgor under severe drought

Download English Version:

<https://daneshyari.com/en/article/8886902>

Download Persian Version:

<https://daneshyari.com/article/8886902>

[Daneshyari.com](https://daneshyari.com)