Title: Photosynthetic acclimation to elevated CO_2 combined with partial rootzone drying results in improved water use efficiency, drought tolerance and leaf carbon balance of grapevines (*Vitis labrusca*)

Author: Jefferson Rangel da Silva Angelica Eloisa Patterson Weverton Pereira Rodrigues Eliemar Campostrini Kevin Lee Griffin

PII: S0098-8472(16)30245-3
DOI: http://dx.doi.org/doi:10.1016/j.envexpbot.2016.11.007
Reference: EEB 3146

To appear in: *Environmental and Experimental Botany*

Received date: 29-7-2016
Revised date: 4-11-2016
Accepted date: 14-11-2016

Please cite this article as: da Silva, Jefferson Rangel, Patterson, Angelica Eloisa, Rodrigues, Weverton Pereira, Campostrini, Eliemar, Griffin, Kevin Lee, Photosynthetic acclimation to elevated CO2 combined with partial rootzone drying results in improved water use efficiency, drought tolerance and leaf carbon balance of grapevines (Vitis labrusca).Environmental and Experimental Botany http://dx.doi.org/10.1016/j.envexpbot.2016.11.007

Title

Photosynthetic acclimation to elevated CO_2 combined with partial rootzone drying results in improved water use efficiency, drought tolerance and leaf carbon balance of grapevines (*Vitis labrusca*).

Running Head

CO_2 concentration and water stress in grapevine.

Authors

Jefferson Rangel da Silva[1], Angelica Eloisa Patterson[2], Weverton Pereira Rodrigues[1], Eliemar Campostrini[1], Kevin Lee Griffin[2, 3*]

Affiliation

[1]Plant Physiology Laboratory, LMGV, Agricultural Science and Technology Center, State University of North Fluminense, Av. Alberto Lamego, 2000, Campos dos Goytacazes, RJ 28013-602, Brazil.

[2]Department of Earth and Environmental Sciences, Columbia University, Lamont-Doherty Earth Observatory, Palisades, NY 10964, USA.

[3]Department of Ecology, Evolution, and Environmental Biology, Columbia University, New York, NY 10027, USA.

*****corresponding author: E-mail: griff@ldeo.columbia.edu