Accepted Manuscript

Effects of NaCl, Glucose, and their combinations on Biofilm Formation on Black Tiger Shrimp (*Penaeus monodon*) Surfaces by *Vibrio parahaemolyticus*

Md. Furkanur Rahaman Mizan, Md. Ashrafudoulla, Mohammad Sadekuzzaman, Iksoon Kang, Sang-Do Ha

PII:	S0956-7135(17)30583-2
DOI:	10.1016/j.foodcont.2017.12.004
Reference:	JFCO 5896
To appear in:	Food Control
Received Date:	06 September 2017
Revised Date:	17 November 2017
Accepted Date:	04 December 2017

Please cite this article as: Md. Furkanur Rahaman Mizan, Md. Ashrafudoulla, Mohammad Sadekuzzaman, Iksoon Kang, Sang-Do Ha, Effects of NaCl, Glucose, and their combinations on Biofilm Formation on Black Tiger Shrimp (*Penaeus monodon*) Surfaces by *Vibrio parahaemolyticus*, *Food Control* (2017), doi: 10.1016/j.foodcont.2017.12.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Highlights

- Effect of sodium chloride and glucose were studied on the biofilm formation and quorum sensing capability of *Vibrio parahaemolyticus*.
- AI-2 detection was performed by HPLC-FLD.
- FESEM and CLSM analysis were investigated for visual observation.

Download English Version:

https://daneshyari.com/en/article/8887979

Download Persian Version:

https://daneshyari.com/article/8887979

Daneshyari.com