

Accepted Manuscript

Differentiation of black tea infusions according to origin, processing and botanical varieties using multivariate statistical analysis of LC-MS data

Anastasiia Shevchuk, Lalith Jayasinghe, Nikolai Kuhnert

PII: S0963-9969(18)30243-6
DOI: doi:[10.1016/j.foodres.2018.03.059](https://doi.org/10.1016/j.foodres.2018.03.059)
Reference: FRIN 7496

To appear in: *Food Research International*

Received date: 28 November 2017
Revised date: 19 March 2018
Accepted date: 21 March 2018

Please cite this article as: Anastasiia Shevchuk, Lalith Jayasinghe, Nikolai Kuhnert , Differentiation of black tea infusions according to origin, processing and botanical varieties using multivariate statistical analysis of LC-MS data. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Food Research International* (2018), doi:[10.1016/j.foodres.2018.03.059](https://doi.org/10.1016/j.foodres.2018.03.059)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Differentiation of black tea infusions according to origin, processing and botanical varieties
using multivariate statistical analysis of LC-MS data**

Anastasiia Shevchuk¹, Lalith Jayasinghe² and Nikolai Kuhnert¹

¹Jacobs University Bremen, Germany; ²Institute of Fundamental Studies, Sri Lanka

Corresponding Author:

Nikolai Kuhnert

n.kuhnert@jacobs-university.de

Tel: 0421-200-3120

Download English Version:

<https://daneshyari.com/en/article/8888937>

Download Persian Version:

<https://daneshyari.com/article/8888937>

[Daneshyari.com](https://daneshyari.com)