

Accepted Manuscript

Assessing snow instability in skier-triggered snow slab avalanches by combining failure initiation and crack propagation

Johan Gaume, Benjamin Reuter

PII: S0165-232X(17)30046-0
DOI: doi: [10.1016/j.coldregions.2017.05.011](https://doi.org/10.1016/j.coldregions.2017.05.011)
Reference: COLTEC 2400
To appear in: *Cold Regions Science and Technology*
Received date: 26 January 2017
Revised date: 29 May 2017
Accepted date: 29 May 2017



Please cite this article as: Johan Gaume, Benjamin Reuter , Assessing snow instability in skier-triggered snow slab avalanches by combining failure initiation and crack propagation, *Cold Regions Science and Technology* (2017), doi: [10.1016/j.coldregions.2017.05.011](https://doi.org/10.1016/j.coldregions.2017.05.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Assessing snow instability in skier-triggered snow slab avalanches
by combining failure initiation and crack propagation**

Johan Gaume^{1,2,*}, Benjamin Reuter²

¹ EPFL – Swiss Federal Institute of Technology, Lausanne, Switzerland

² WSL Institute for Snow and Avalanche Research SLF, Davos, Switzerland

ABSTRACT: Dry-snow slab avalanches start with a local failure in a weak snowpack layer buried below cohesive snow slab layers. If the size of the failed zone exceeds a critical size, rapid crack propagation occurs possibly followed by slab release if the slope is steep enough. The probability of skier-triggering a slab avalanche is generally characterized by classical stability indices that do not account for crack propagation. In this study, we propose a new model to evaluate the conditions for the onset of crack propagation in skier-triggered slab avalanches. For a given weak layer, the critical crack length characterizing crack propagation propensity was compared to the size of the area where the skier-induced stress exceeds the shear strength of the weak layer. The ratio between both length scales yields a stability criterion combining the processes of failure initiation and crack propagation. The critical crack length was calculated from a recently developed model based on numerical simulations. The skier-induced stress was computed from analytical solutions and finite element simulations to account for slab layering. A detailed sensitivity analysis was performed for simplified snow profiles to characterize the influence of snowpack properties and slab layering on crack propagation propensity. Finally, we applied our approach to manually observed snow profiles and compared our new criterion to rutschblock scores.

KEYWORDS: Snow avalanche, skier-triggering, failure initiation, crack propagation, PST, slab, weak layer.

Download English Version:

<https://daneshyari.com/en/article/8906629>

Download Persian Version:

<https://daneshyari.com/article/8906629>

[Daneshyari.com](https://daneshyari.com)