


Accepted Manuscript

Detailed Facies Analysis of the Upper Cretaceous Tununk Shale Member, Henry Mountains Region, Utah: Implications for Mudstone Depositional Models in Epicontinental Seas

Zhiyang Li, Juergen Schieber



PII: S0037-0738(17)30291-9

DOI: <https://doi.org/10.1016/j.sedgeo.2017.12.015>

Reference: SEDGEO 5287

To appear in:

Received date: 10 October 2017

Revised date: 12 December 2017

Accepted date: 13 December 2017

Please cite this article as: Zhiyang Li, Juergen Schieber , Detailed Facies Analysis of the Upper Cretaceous Tununk Shale Member, Henry Mountains Region, Utah: Implications for Mudstone Depositional Models in Epicontinental Seas. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Sedgeo(2017), <https://doi.org/10.1016/j.sedgeo.2017.12.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Detailed Facies Analysis of the Upper Cretaceous Tununk
Shale Member, Henry Mountains Region, Utah: Implications
for Mudstone Depositional Models in Epicontinental Seas**

Zhiyang Li^{1*} and Juergen Schieber¹

¹Department of Earth and Atmospheric Sciences, Indiana
University, 1001 East 10th Street Bloomington, Indiana 47405,
United States

*Corresponding author: zl29@iu.edu

ABSTRACT

Lower-Middle Turonian strata of the Tununk Shale Member of the greater Mancos Shale were deposited along the western margin of the Cretaceous Western Interior Seaway during the Greenhorn second-order sea level cycle. In order to examine depositional controls on facies development in this mudstone-rich succession, this study delineates temporal and spatial relationships in a process-sedimentologic-based approach. The 3-dimensional expression of mudstone facies associations and their stratal architecture is assessed through a fully integrative physical and biologic characterization as exposed in outcrops in south-central Utah. Sedimentologic characteristics from the millimeter- to kilometer-scale are documented in order to fully address the

Download English Version:

<https://daneshyari.com/en/article/8908550>

Download Persian Version:

<https://daneshyari.com/article/8908550>

[Daneshyari.com](https://daneshyari.com)