


Accepted Manuscript

Extremely weak fault planes: An estimate of focal mechanisms from stationary seismic activity in the San'in district, Japan

Yoshihisa Iio, Shinji Kishimoto, Setsuro Nakao, Tsutomu Miura, Itaru Yoneda, Masayo Sawada, Hiroshi Katao



PII: S0040-1951(17)30510-3
DOI: <https://doi.org/10.1016/j.tecto.2017.12.007>
Reference: TECTO 127714
To appear in: *Tectonophysics*
Received date: 26 April 2017
Revised date: 5 December 2017
Accepted date: 8 December 2017

Please cite this article as: Yoshihisa Iio, Shinji Kishimoto, Setsuro Nakao, Tsutomu Miura, Itaru Yoneda, Masayo Sawada, Hiroshi Katao , Extremely weak fault planes: An estimate of focal mechanisms from stationary seismic activity in the San'in district, Japan. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Tecto(2017), <https://doi.org/10.1016/j.tecto.2017.12.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Extremely weak fault planes: an estimate of focal mechanisms from stationary seismic activity in the San'in district, Japan

*Yoshihisa Iio, Shinji Kishimoto, Setsuro Nakao, Tsutomu Miura, Itaru Yoneda, Masayo Sawada, Hiroshi Katao

Research Center for Earthquake Prediction, Disaster Prevention Research Institute, Kyoto University

Gokasho Uji, Japan 611-0011

* Corresponding author iio@rcep.dpri.kyoto-u.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8908787>

Download Persian Version:

<https://daneshyari.com/article/8908787>

[Daneshyari.com](https://daneshyari.com)