Accepted Manuscript

Two-dimensional thermal modeling in southern Kyushu, Japan

Nobuaki Suenaga, Shoichi Yoshioka, Takumi Matsumoto, Yingfeng Ji

PII: S0040-1951(17)30520-6

DOI: https://doi.org/10.1016/j.tecto.2017.12.017

Reference: TECTO 127724

To appear in: *Tectonophysics*

Received date: 18 September 2017 Revised date: 13 December 2017 Accepted date: 21 December 2017

Please cite this article as: Nobuaki Suenaga, Shoichi Yoshioka, Takumi Matsumoto, Yingfeng Ji, Two-dimensional thermal modeling in southern Kyushu, Japan. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Tecto(2017), https://doi.org/10.1016/j.tecto.2017.12.017

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Two-dimensional thermal modeling in southern Kyushu, Japan

Nobuaki Suenaga 1,* , Shoichi Yoshioka 1,2 , Takumi Matsumoto 3 and Yingfeng Ji 1

- 1 Research Center for Urban Safety and Security, Kobe University, Rokkodai-cho 1-1, Nada ward, Kobe 657-8501, Japan
- 2 Department of Planetology, Graduate School of Science, Kobe University, Rokkodai-cho 1-1, Nada ward, Kobe 657-8501, Japan
- 3 National Research Institute for Earth Science and Disaster Resilience, Tennodai 3-1, Tsukuba 305-0006, Japan

*corresponding author

e-mail: n.suenaga@people.kobe-u.ac.jp

TEL: +81-90-8415-1989

FAX: +81-78-803-6598

Submitted to Tectonophysics on September 19, 2017

Download English Version:

https://daneshyari.com/en/article/8908799

Download Persian Version:

https://daneshyari.com/article/8908799

Daneshyari.com