


Accepted Manuscript

Slow slip rate and excitation efficiency of deep low-frequency tremors beneath southwest Japan

Kumiko Daiku, Yoshihiro Hiramatsu, Takanori Matsuzawa, Tomoyuki Mizukami



PII: S0040-1951(17)30478-X
DOI: doi:[10.1016/j.tecto.2017.11.016](https://doi.org/10.1016/j.tecto.2017.11.016)
Reference: TECTO 127682
To appear in: *Tectonophysics*
Received date: 16 May 2017
Revised date: 9 November 2017
Accepted date: 13 November 2017

Please cite this article as: Kumiko Daiku, Yoshihiro Hiramatsu, Takanori Matsuzawa, Tomoyuki Mizukami , Slow slip rate and excitation efficiency of deep low-frequency tremors beneath southwest Japan. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Tecto(2017), doi:[10.1016/j.tecto.2017.11.016](https://doi.org/10.1016/j.tecto.2017.11.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Slow slip rate and excitation efficiency of deep low-frequency tremors beneath southwest**Japan**

Kumiko Daiku, Graduate School of Natural Science and Technology, Kanazawa University,
Kanazawa, 920-1192, Japan, e-mail: kumidai130@gmail.com

Yoshihiro Hiramatsu, School of Natural System, College of Science and Engineering, Kanazawa
University, Kanazawa, 920-1192, Japan, e-mail: yoshizo@staff.kanazawa-u.ac.jp

Takanori Matsuzawa, National Research Institute for Earth Sciences and Disaster Resilience,
Tsukuba, Japan, e-mail: tkmatsu@bosai.go.jp

Tomoyuki Mizukami, School of Natural System, College of Science and Engineering, Kanazawa
University, Kanazawa, 920-1192, Japan, e-mail: peridot@staff.kanazawa-u.ac.jp

Corresponding author: Yoshihiro Hiramatsu

Key words: slow slip event; slip rate; serpentinite; pore fluid pressure; Nankai Trough

Download English Version:

<https://daneshyari.com/en/article/8908824>

Download Persian Version:

<https://daneshyari.com/article/8908824>

[Daneshyari.com](https://daneshyari.com)