


Accepted Manuscript

Monocline formation during growth of segmented faults in the Taranaki Basin, offshore New Zealand

John Conneally, Conrad Childs, Andrew Nicol

PII: S0040-1951(17)30282-2
DOI: doi: [10.1016/j.tecto.2017.06.036](https://doi.org/10.1016/j.tecto.2017.06.036)
Reference: TECTO 127548
To appear in: *Tectonophysics*
Received date: 13 February 2017
Revised date: 27 June 2017
Accepted date: 30 June 2017



Please cite this article as: John Conneally, Conrad Childs, Andrew Nicol , Monocline formation during growth of segmented faults in the Taranaki Basin, offshore New Zealand, *Tectonophysics* (2017), doi: [10.1016/j.tecto.2017.06.036](https://doi.org/10.1016/j.tecto.2017.06.036)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Monocline formation during growth of segmented faults in the Taranaki Basin, offshore New Zealand

Corresponding author

John Conneally, (john.conneally@icrag-centre.org)

Fault Analysis Group, University College Dublin, Belfield, Dublin 4, Ireland

(Now at Irish Centre for Research in Applied Geoscience, University College Dublin, Belfield, Dublin 4)

Conrad Childs (Conrad@fag.ucd.ie)

Fault Analysis Group, University College Dublin, Belfield, Dublin 4, Ireland.

Andrew Nicol (andy.nicol@canterbury.ac.nz)

Department of geological sciences, University of Canterbury, Private bag 4800, Christchurch, New Zealand.

Download English Version:

<https://daneshyari.com/en/article/8908861>

Download Persian Version:

<https://daneshyari.com/article/8908861>

[Daneshyari.com](https://daneshyari.com)