

Accepted Manuscript

The effects of charge, polymerization, and cluster size on the diffusivity of dissolved Si species in pore water

Tadashi Yokoyama, Hiroshi Sakuma

PII: S0016-7037(18)30001-2
DOI: <https://doi.org/10.1016/j.gca.2017.12.027>
Reference: GCA 10600

To appear in: *Geochimica et Cosmochimica Acta*

Received Date: 18 March 2017
Accepted Date: 27 December 2017

Please cite this article as: Yokoyama, T., Sakuma, H., The effects of charge, polymerization, and cluster size on the diffusivity of dissolved Si species in pore water, *Geochimica et Cosmochimica Acta* (2018), doi: <https://doi.org/10.1016/j.gca.2017.12.027>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



The effects of charge, polymerization, and cluster size on the diffusivity of dissolved Si species in pore water

Tadashi Yokoyama^{1*}, Hiroshi Sakuma²

¹Graduate School of Integrated Arts and Sciences, Hiroshima University, 1-7-1 Kagamiyama, Higashi-Hiroshima, Hiroshima, Japan

Tadashi Yokoyama (***Corresponding author**)

E-mail: t-yokoyama@hiroshima-u.ac.jp

Telephone number: +81-82-424-6523

Fax number: +81-82-424-0758

²National Institute for Materials Science, 1-1 Namiki, Tsukuba, Ibaraki 305-0044, Japan

Hiroshi Sakuma

E-mail: SAKUMA.Hiroshi@nims.go.jp

Telephone number: +81-29-851-3354

Submitted to *Geochimica et Cosmochimica Acta*

Download English Version:

<https://daneshyari.com/en/article/8910883>

Download Persian Version:

<https://daneshyari.com/article/8910883>

[Daneshyari.com](https://daneshyari.com)