

Multi-year high-frequency hydrothermal monitoring of selected high-threat Cascade Range volcanoes

I.M. Crankshaw, S.A. Archfield, A.C. Newman, D. Bergfeld, L.E. Clor, K.R. Spicer, P.J. Kelly, W.C. Evans, S.E. Ingebritsen

PII: S0377-0273(17)30709-6
DOI: doi:10.1016/j.jvolgeores.2018.02.014
Reference: VOLGEO 6313

To appear in: *Journal of Volcanology and Geothermal Research*

Received date: 1 December 2017
Revised date: 16 February 2018
Accepted date: 17 February 2018

Please cite this article as: I.M. Crankshaw, S.A. Archfield, A.C. Newman, D. Bergfeld, L.E. Clor, K.R. Spicer, P.J. Kelly, W.C. Evans, S.E. Ingebritsen , Multi-year high-frequency hydrothermal monitoring of selected high-threat Cascade Range volcanoes. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Volgeo(2017), doi:10.1016/j.jvolgeores.2018.02.014

Multi-year high-frequency hydrothermal monitoring of selected high-threat Cascade Range volcanoes

I.M. Crankshaw[1,2], S.A. Archfield[3], A.C. Newman[1,4], D. Bergfeld[1], L.E. Clor[5], K.R. Spicer[5], P.J. Kelly[5], W.C. Evans[1], and S.E. Ingebritsen[1]

[1]U.S. Geological Survey, Menlo Park, California

[2]Sonoma County Water Agency

[3]U.S. Geological Survey, Reston, Virginia

[4]Aarhus, Denmark

[5]U.S. Geological Survey, Vancouver, Washington

Corresponding author's email: seingebr@usgs.gov