## Accepted Manuscript

Induced thermoluminescence as a method for dating recent volcanism: Hawaii County, Hawaii, USA

Derek W.G. Sears, Hazel Sears, Alexander Sehlke, Scott S. Hughes

PII: S0377-0273(17)30207-X

DOI: doi:10.1016/j.jvolgeores.2017.09.022

Reference: VOLGEO 6205

To appear in: Journal of Volcanology and Geothermal Research

Received date: 5 April 2017

Revised date: 25 September 2017 Accepted date: 27 September 2017

Please cite this article as: Derek W.G. Sears, Hazel Sears, Alexander Sehlke, Scott S. Hughes, Induced thermoluminescence as a method for dating recent volcanism: Hawaii County, Hawaii, USA. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Volgeo(2017), doi:10.1016/j.jvolgeores.2017.09.022

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Induced Thermoluminescence as a Method for Dating Recent Volcanism: Hawaii County, Hawaii, USA.

Derek W. G. Sears<sup>1</sup>, Hazel Sears<sup>1</sup>, Alexander Sehlke<sup>2</sup> and Scott S. Hughes<sup>3</sup>

<sup>1</sup>NASA Ames Research Center, Bay Area Environmental Research Institute, Mountain View, California 95035, USA.

<sup>2</sup>NASA Ames Research Center, Mountain View, California 95035, USA.

<sup>3</sup>Geosciences Department, Idaho State University, Pocatello, Idaho 83209, USA.

Corresponding author: Derek W. G. Sears

Email: derek.sears@nasa.gov

Version: 9/18/2017

Journal: JVGR

## Research Highlights:

- The compositionally-corrected induced thermoluminescence values for a suite of basalts from Big Island of Hawaii show a weak correlation with age although the TL-age slope for the Hawaii samples is shallower than similar data for basalts from Idaho.
- This difference is slope is due to the young (<50 ka) basalts which show a very similar range at both sites but while the Hawaii samples are skewed to higher values, the Idaho samples are skewed to lower values.
- Understanding the spread of induced TL values for <50 ka basalts is key to developing this technique as a chronometer.

Thermoluminescence, Basalts, Volcanoes, Crystallization, Hawaii

## Download English Version:

## https://daneshyari.com/en/article/8911417

Download Persian Version:

https://daneshyari.com/article/8911417

<u>Daneshyari.com</u>