


Accepted Manuscript

The sedimentary succession of the last ~3.50Myr in the western south Yellow Sea: Paleoenvironmental and tectonic implications

Jian Liu, Xunhua Zhang, Xi Mei, Quanhong Zhao, Xingwei Guo, Weina Zhao, Jianxing Liu, Yoshiki Saito, Zhiqiang Wu, Jie Li, Xiaoqing Zhu, Hongxian Chu



PII: S0025-3227(17)30254-2
DOI: doi:[10.1016/j.margeo.2017.11.005](https://doi.org/10.1016/j.margeo.2017.11.005)
Reference: MARGO 5715
To appear in: *Marine Geology*
Received date: 25 May 2017
Revised date: 26 September 2017
Accepted date: 5 November 2017

Please cite this article as: Jian Liu, Xunhua Zhang, Xi Mei, Quanhong Zhao, Xingwei Guo, Weina Zhao, Jianxing Liu, Yoshiki Saito, Zhiqiang Wu, Jie Li, Xiaoqing Zhu, Hongxian Chu , The sedimentary succession of the last ~3.50Myr in the western south Yellow Sea: Paleoenvironmental and tectonic implications. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Margo(2017), doi:[10.1016/j.margeo.2017.11.005](https://doi.org/10.1016/j.margeo.2017.11.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The sedimentary succession of the last ~3.50 Myr in the western South Yellow Sea: paleoenvironmental and tectonic implications

Jian Liu ^{a, b, *}, Xunhua Zhang ^a, Xi Mei ^a, Quanhong Zhao ^c, Xingwei Guo ^a, Weina Zhao ^d,

Jianxing Liu ^{b, e}, Yoshiki Saito ^{f, g}, Zhiqiang Wu ^a, Jie Li ^a, Xiaoqing Zhu ^a, Hongxian Chu ^a

^a Key Laboratory of Marine Hydrocarbon Resources and Environmental Geology, Ministry of Land and Resources, Qingdao Institute of Marine Geology, Qingdao 266071, China

^b Laboratory for Marine Geology, Qingdao National Laboratory for Marine Science and Technology, Qingdao 266061, China

^c State Key Laboratory of Marine Geology, Tongji University, Shanghai, 200092, China

^d Ocean University of China, Qingdao 266100, China

^e Key Laboratory of Marine Sedimentology and Environmental Geology, First Institute of Oceanography, State Oceanic Administration, Qingdao 266061, China

^f Geological Survey of Japan, AIST, Central 7, Higashi 1-1-1, Tsukuba, Ibaraki 305-8567, Japan

^g Estuary Research Center, Shimane University, 1060 Nishikawatsu-cho, Matsue, Shimane 690-8504, Japan

Abstract

The South Yellow Sea (SYS) Basin, which is part of the West Pacific Continental Margin, began to form in the late Mesozoic to early Cenozoic as a result of regional tectonic activity in Asia. The pre-Middle Pleistocene sedimentary history of the area remains poorly

Download English Version:

<https://daneshyari.com/en/article/8911985>

Download Persian Version:

<https://daneshyari.com/article/8911985>

[Daneshyari.com](https://daneshyari.com)