Accepted Manuscript

The Neoproterozoic high-Mg dioritic dikes in South China formed by high pressures fractional crystallization of hydrous basaltic melts

Qi-Wei Li, Jun-Hong Zhao

PII: S0301-9268(16)30280-7

DOI: http://dx.doi.org/10.1016/j.precamres.2017.04.009

Reference: PRECAM 4726

To appear in: Precambrian Research

Received Date: 23 July 2016 Revised Date: 26 March 2017 Accepted Date: 2 April 2017



Please cite this article as: Q-W. Li, J-H. Zhao, The Neoproterozoic high-Mg dioritic dikes in South China formed by high pressures fractional crystallization of hydrous basaltic melts, *Precambrian Research* (2017), doi: http://dx.doi.org/10.1016/j.precamres.2017.04.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

| 1 | |
|----|---|
| 2 | The Neoproterozoic high-Mg dioritic dikes in South China |
| 3 | formed by high pressures fractional crystallization of |
| 4 | hydrous basaltic melts |
| 5 | |
| 6 | Qi-Wei Li, Jun-Hong Zhao* |
| 7 | State Key Laboratory of Geological Processes and Mineral Resources, China |
| 8 | University of Geosciences, Wuhan, Hubei, 430074, China |
| 9 | *Corresponding author: E-mail: jhzhao@cug.edu.cn (JH. Zhao) |
| 10 | Fax numbers: 86-27-67883002 |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |
| 22 | |

Download English Version:

https://daneshyari.com/en/article/8912604

Download Persian Version:

https://daneshyari.com/article/8912604

<u>Daneshyari.com</u>