## **Accepted Manuscript**

Mid-Eocene (Bartonian) larger benthic foraminifera from southeastern Turkey and northeastern Egypt: New evidence for the palaeobiogeography of the Tethyan carbonate platforms

Emad S. Sallam, Nazire Özgen Erdem, Derya Sinanoğlu, Dmitry A. Ruban

Journal of African
Earth Sciences

PII: S1464-343X(18)30017-7

DOI: 10.1016/j.jafrearsci.2018.01.009

Reference: AES 3123

To appear in: Journal of African Earth Sciences

Please cite this article as: Emad S. Sallam, Nazire Özgen Erdem, Derya Sinanoğlu, Dmitry A. Ruban, Mid-Eocene (Bartonian) larger benthic foraminifera from southeastern Turkey and northeastern Egypt: New evidence for the palaeobiogeography of the Tethyan carbonate platforms, *Journal of African Earth Sciences* (2018), doi: 10.1016/j.jafrearsci.2018.01.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### ACCEPTED MANUSCRIPT

### **RESEARCH HIGHLIGHTS**

Bartonian larger benthic foraminiferal assemblages from SE Turkey and NE Egypt

D. aegyptiensis and S. stefaninii first reported from the Hoya Formation

Significant affinity of foraminifera from the Hoya Formation to NE Egypt

Foraminifers indicate on lagoonal-tidal flat palaeoenvironments of shallow platforms

Sea level and plate tectonics as controls of Bartonian microfaunal exchange

### Download English Version:

# https://daneshyari.com/en/article/8913522

Download Persian Version:

https://daneshyari.com/article/8913522

<u>Daneshyari.com</u>